



CELECCA



**CABLE
TIE**

WWW.CELECCA.COM






CABLE TIE

Our high-quality Nylon cable ties are made from Nylon 6.6 (UL94V2, CE, RoHS listed) and are available in either black or natural.

They can be quickly and easily installed either by hand or with one of our tensioning tools.

Ideal for securing cables, pipes, and hoses. Used successfully in the most demanding industrial applications.

Image representative of product style, product supplied may vary.



CABLE TIE

TECHNICAL DATA SHEET OF NYLON CABLE TIE 6.6							
PART NO.	NOMINAL OVERALL LENGTH (L) (± 3%)		STRAP WIDTH (W) (± 0.15 mm)		STANDARD PACKAGING (Pcs/Pkt)	MINIMUM LOOP TENSILE STRENGTH	
	mm	inch	mm	inch		kgf	lbs
MINIATURE SERIES							
100x1.8	100.0	3.9	1.80	0.07	100	8.2	18
150x1.9	150.0	5.9	1.90	0.07	100	8.2	18
100x2.2	100.0	3.9	2.20	0.09	100	8.2	18
150x2.2	150.0	5.9	2.20	0.09	100	8.2	18
200x2.2	200.0	7.9	2.20	0.09	100	8.2	18
75x2.5	75.0	3.0	2.50	0.10	100	8.2	18
100x2.5	100.0	3.9	2.50	0.10	100	8.2	18
150x2.5	150.0	5.9	2.50	0.10	100	8.2	18
200x2.5	200.0	7.9	2.50	0.10	100	8.2	18
250x2.7	250.0	9.8	2.70	0.11	100	8.2	18
300x2.7	300.0	11.8	2.70	0.11	100	8.2	18
INTERMEDIATE SERIES							
150x3.0	150.0	5.9	3.00	0.12	100	14.0	31
200x3.0	200.0	7.9	3.00	0.12	100	14.0	31
300x3.3	300.0	11.8	3.30	0.13	100	18.0	40
150x3.6	150.0	5.9	3.60	0.14	100	18.0	40
200x3.6	200.0	7.9	3.60	0.14	100	18.0	40
250x3.6	250.0	9.8	3.60	0.14	100	18.0	40
300x3.6	300.0	11.8	3.60	0.14	100	18.0	40
350x3.6	350.0	13.8	3.60	0.14	100	18.0	40
STANDARD SERIES							
250x4.0	250.0	9.8	4.00	0.16	100	20.0	44
300x4.0	300.0	11.8	4.00	0.16	100	20.0	44
400x4.2	400.0	15.7	4.20	0.17	100	20.0	44
200x4.8	200.0	7.9	4.80	0.19	100	22.7	50
250x4.8	250.0	9.8	4.80	0.19	100	22.7	50
300x4.8	300.0	11.8	4.80	0.19	100	22.7	50
364x4.8	364.0	14.3	4.80	0.19	100	22.7	50
450x4.8	450.0	17.7	4.80	0.19	100	22.7	50
500x4.8	500.0	19.7	4.80	0.19	100	22.7	50
HEAVY DUTY SERIES							
200x7.6	200.0	7.9	7.60	0.30	100	54.0	119
250x7.6	250.0	9.8	7.60	0.30	100	54.0	119
300x7.6	300.0	11.8	7.60	0.30	100	54.0	119
364x7.6	364.0	14.3	7.60	0.30	100	54.0	119
430x7.6	430.0	16.9	7.60	0.30	100	54.0	119
530x7.6	530.0	20.9	7.60	0.30	100	54.0	119
750x7.6	750.0	29.5	7.60	0.30	100	54.0	119
EXTRA HEAVY DUTY SERIES							
460x8.8	460.0	18.1	8.80	0.35	50	59.0	130
530x8.8	530.0	20.9	8.80	0.35	50	59.0	130
630x8.8	630.0	24.8	8.80	0.35	100	59.0	130
710x8.8	710.0	28.0	8.80	0.35	100	59.0	130
800x9.0	800.0	31.5	9.00	0.35	50	78.0	172
920x9.0	920.0	36.2	9.00	0.35	50	78.0	172
1230x9.0	1230.0	48.4	9.00	0.35	50	78.0	172